

SuperSmart®

Customer:

SMART

CERTIFICATE ANALYSIS PRODUCT FINISHED

Product:

COENZYMATED B COMPLEX 30 CP

Code **LU916**

N°PNT Reference MAPA LU916

Batch/N°analysis: **2401 02 2027**

CONCEPT		RESULTS		
Presentation		30 tablets of Coenzimated in blister.		
Date Fabrication		FEBRUARY 2024		
Analyses of samples		As documents in process		
Expire day		FEBRUARY 2027		
Production order number		234.565		
Bottling order number		234.565		
Raw Material certificate inspection		Correct		
Bottling Material inspection		Correct		
Process certificates review		Correct		
	Analysis	Méthod	Specifications	Results
Organoleptics properties	Aspect	Visual Control	Tablets.	Correct
	Odor	Olfactory Control	Not odor.	Correct
	Taste	Taste Control	Inspidus.	Correct
	Colour	Visual Control	Yellow.	Correct
Physichalchemical Parameters	Average	Average	$\geq 1140 \leq 1260$ mg.	1240 mg
	Uniformity mass	F. Eur 3 ^a ed., 2.9.5.	$\geq 1140 \leq 1260$ mg.	1236 mg
	Height	Pié de rey	$\leq 5,3$	5,2 mm
	Hardness	FEE007	$\geq 4 \leq 7$	5 Kp
	Wet	FEE011 60°C 60 hPa 2h	≤ 6 %	4 %
	Friability	FEE025	≤ 1 %	0,4 %
	Time dispersion	Water very hot	≤ 8 min.	4 min.
Packaging	N° tablets/blister	Visual Control	10	Correct
	N° tablets/storage	Visual Control	30	Correct
Marking Label	Batch/ Expire day	Control Visual	2401 02 2027 COENZYMATED B COMPLEX	Correct
	Printer	Control Visual		Correct
Quantities	Ingredients mg./cáp:	As specifications Customer		
Units per bottle	254 in a Box.			Correct
Units	Results: 1003			
Preservation	Dry place and To keep out of light			

Date: 26/02/2024