

SuperSmart[®]

CERTIFICATE OF ANALYSIS

Name of Product : Lactobacillus Gasseri
Lot Number : 1100623
Specification No : 0646
Best-if-used-by : 06/26
Checking of raw material analysis certificates: Conforms
Presentation : Bottle

SAMPLE	SPECIFICATIONS	RESULTS
1- Appearance	White Capsules	Positive
2- Identification	Positive	Positive
3-No. of capsules/bottle	60	Conforms
4- Weight of Capsule USP<2091>	490 mg. + - 5%	494 mg (average)
5-Size	'0' DR CAPS	Conforms

6- Less than 95 per gram USP<2021>		
Total plate count	<100,000 cfu/g	Conforms
Total yeast & mold	<10,000 cfu/g	Conforms
E. Coli	Negative	Negative
Salmonella	Negative	Negative

7- Pesticides	Negative	Negative
---------------	----------	----------

8- Chemical Analysis		
Lead	0.0 mg/kg	0.0
Arsenic	0.0 mg/kg	0.0
Mercury	0.0 mg/kg	0.0

9- Time of	Less than 15 minutes	<15 min
------------	----------------------	---------

Disintegration: in
Simulated gastric
Fluids USP <2040>



Signature of Analyst

10/02/2023
Date of Analysis

This product conforms to the above mentioned specifications and is suitable for human consumption. The product is manufactured in USA by a GMP certified lab.