

SuperSmart[®]

CERTIFICATE OF ANALYSIS

Name of Product : Lactobacillus Reuteri
Lot Number : 1471023
Specification No : 0678
Best-if-used-by : 10/26
Checking of raw material analysis certificates : Conforms
Presentation : Bottle of Capsules

SAMPLE	SPECIFICATIONS	RESULTS
1- Appearance	White Capsule	Positive
2- Identification	Positive	Positive
3-No. of caps/bottle	60	Conforms
4- Weight of capsule	535 mg. + - 10%	569.9 mg (average)
5-Empty capsule	'0' Veggie	Conforms

6- Less than 95 per gram


Total plate count	<100,000 cfu/g	Conforms
Total yeast & mold	<10,000 cfu/g	Conforms
E. Coli	Negative	Negative
Salmonella	Negative	Negative

7- Pesticides Negative Negative

8- Chemical Analysis

Lead	0.0 mg/kg	0.0
Arsenic	0.0 mg/kg	0.0
Mercury	0.0 mg/kg	0.0

9- Time of Disintegration: in Simulated gastric Fluids USP <2040> Less than 15 minutes Less than 15 minutes


Signature of Analyst

01/25/2024
Date of Analysis

This product conforms to the above mentioned specifications and is suitable for human consumption. The product is manufactured in the USA by a GMP certified lab.