

SuperSmart[®]

PRODUCT DOSSIER

Super Smart

Magnésium Bisglycinate 10% Albion

GALENIC FORM

☒ Capsules

☐ Tablets

☐ Soft capsules

☐ Powder

☐ Liquid

PACKAGING

☐ Bulk

☒ Pill jar

☐ Blister

☐ Paper bag

☐ Glass bottle

☐ Pill case

Batch num.

2606518

DLUO.

06.2029

Purchase Order

-

Code	PCC6
Edition	1
Date	18.07.2023

Validated by
Alba Gómez
Date: 29/07/2026

BATCH CERTIFICATE

Product name	Magnesium Bisglycinate 10% Albion
Batch number	2606518
Customer batch number	-
Manufacturing date	06.2026
Expiry date	06.2029
Description	Blanco

Component	Description	Batch number	Amount	Units
CAP0000010	Capsulas T00 HPMC Transparente	202509031	234.480,00	Units
MP00000329	Harina de arroz	2620573510	31.494,00	gr.
mp00003436	Magnesium Bisglycinate 10% Albion SUPERSM	BN19000000253	174.999,75	gr.

Component	Description	Batch number	Amount	Units
250BIRos38	Bote 250 ml blanco rosca 38mm	21216	2.080,00	Units
CAJA593927	Caja 59 x 39 x 27 canal doble	0	19,00	Units
DESEC00004	Desecante Capsula	10119259	1.954,00	Units
se00003358	Magnesium Bisglycinate 10% Albion SUPERSM	2606518	234.480,00	Units
sleeve38mm	Sleeve por tapas de 38mm	M2741000100R02F	1.954,00	Units
TAP38BLANL	Tapa 38 mm rosca blanca lisa ind Heis	8735heis	1.967,00	Units

Validated by

Alba Gómez

Date: **29/07/2026**

CERTIFICATE OF ANALYSIS

Product name	Magnésium Bisglycinate 10% Albion
Batch number	2606518
Customer batch number	-
Manufacturing date	06.2026
Expiry date	06.2029
Description	Blanco

MICROBIOLOGICAL TEST RESULTS

Microbiology	Specification (Ph. Eur. 5.1.4)	Results	Test method
Total plate count	< 20.000 cfu/g	100 cfu/g Complies	Ph. Eur.
Yeast and mold	< 200 cfu/g	10 cfu/g Complies	Ph. Eur.
<i>Eschericia Coli</i>	Absence/1g	< 10 cfu/g Complies*	Ph. Eur.
<i>Staphylococcus aureus</i>	Absence/1g	< 10 cfu/g Complies*	Ph. Eur.
<i>Salmonella</i>	Absence/10g	Absence 10g Complies	Ph. Eur.
Enterobacteria	< 100 cfu/g	< 10 cfu/g Complies	Ph. Eur.

* There were no growth of E. Coli nor St. Aureus in the -1 concentration plates. Result <10 cfu/g can be considered as absence.

Date of issue	06/07/2026
Conclusion	Conform



ISO 22000: 2018

Report electronically validated by

Alba Gómez - Quality control

Date: **29/07/2026**